

# POLYMERS WITH HIGH INTERNAL FREE VOLUME

**Patent number:** WO0216463  
**Publication date:** 2002-02-28  
**Inventor:** SWAGER TIMOTHY M; LONG  
TIMOTHY M; ZHU ZHENGGUO  
**Applicant:** MASSACHUSETTS INST  
TECHNOLOGY (US)

**Classification:**

**- international:**

**C08G61/02; C08G61/10;  
C08G61/12; C09K11/06;  
C09K19/38; H01B1/12;  
H01L21/312; H01L51/30;  
C08G61/00; C09K11/06;  
C09K19/38; H01B1/12;  
H01L21/02; H01L51/05; (IPC1-7):  
C08G61/00**



**- european:**

**C08G61/02; C08G61/10;  
C08G61/12; C09K11/06;  
C09K19/38; H01B1/12;  
H01L21/312; H01L51/30H4**






**Application number:** WO2001US26293 20010821

**Priority number(s):** US20000226506P 20000821

**Also published as:**

 WO0216463 (A3)  
 WO0216463 (A3)

**Cited documents:**

 US4946890  
 WO9957222  
 DE19806037  
 WO8900593  
 DE19744792  
more >>

**Report a data error here**

## Abstract of **WO0216463**

Shape-persistent organic materials, including polymers, with large degrees of interior free volume are described, along with behaviors and phenomena enabled by their unique properties. One class of such a material is built up from triptycene base moieties wherein three benzene rings are bridged together about a [2.2.2] tricyclic ring system. These units can be assembled into discreet molecules and polymers. These materials and/or formulations thereof with liquid

crystals or polymers are useful for the complexation of chemicals and/or polymers; they have very low dielectric constants for use as coatings in dielectric circuits, they provide additional ordering mechanisms in liquid crystals, and they display unusual mechanical responses when subjected to electrochemical, chemical, or mechanical stimuli.

x

---

Data supplied from the *esp@cenet* database - Worldwide